


IFA511 Komunikasi Antar Perangkat
(Internet of Things - IoT)
Lecture 4

Human-Computer Interfaces

Nur Uddin, PhD.

**Program Studi Informatika
Universitas Pembangunan Jaya
Tangerang Selatan**

Components of an IoT Device



Smart Objects

- Objects that are able to **sense** the environment, **interpret** the environment, **self-configure**, **interact** with other objects and exchange information with people



Smart Refrigerator

Traditional Computing System: HCI



*"**Human-computer interaction** is a discipline concerned with the design, evaluation and implementation of interactive computing systems for human use and with the study of major phenomena surrounding them."* --

Association for Computing Machinery


(Bad) Examples of User Interfaces




(Bad) Examples of User Interfaces



(Bad) Examples of User Interfaces



(Bad) Examples of User Interfaces



Why is HCI Important?

- It can affect
 - Effectiveness
 - Productivity
 - Morale
 - Safety
- Bad interfaces:
 - Confusing
 - Cumbersome
 - Time-consuming
 - Uninformative
 - Lead to errors
 - ...





Interfaces

- **Keyboard/mouse/screen/speakers**
- Pen input
- Touch
- Speech/audio/sound
- Gesture, eye movement
- Tangible interfaces
- Virtual/augmented reality (VR, AR)
- Wearable computing
- **Multi-modal** interactive interfaces: more than just one input/output channel

Interface Discussion

- **Ease-of-Use?**
- **Flexibility?**
- **Accuracy?**
- **Safety?**
- **Privacy?**


Touch as Input




Gesture/Motion as Input





Eye Movement as Input



Haptic Interfaces





Augmented Reality



Wearable Computing

- Computation devices accompany you, rather than you seeking them out



Speech Input

- Human beings have a great and natural mastery of speech
 - makes it difficult to appreciate the complexities
 - but it's an easy medium for communication



Windows Speech Recognition

- Supplied with every Windows machine
 - From '98 on
 - Almost no one used it
- What was the problem?
 - Need to “train” users to use early virtual assistants (VAs)
 - Microphone expense determines quality
 - No app buy-in



And Then There Was Siri

A Technical Success

- Consistent microphone gives predictable quality
- Inclusion on every iPhone made it mainstream




And Then There Was Siri



- Misunderstandings
- Limited skills
- What Apple wants isn't always what users want
- No 3rd parties; limited innovation and evolution

Current Incarnations

- What these look like now
 - Specialized hardware
 - Domestic setting
 - Initially aimed at home automation
 - Mostly used for home entertainment
 - All open to 3rd parties



Voice “Explodes” into Mainstream



IBM Watson™



Seven Design Principles

1. **Equitable use**

- same means for all users, do not segregate/stigmatize users, make design appealing

2. **Flexibility in use**

- provide choice of methods & adapt to user's pace

3. **Simplicity and intuitiveness of use**

- support user's expectations
- accommodate different languages and literacy skills
- provide prompting and feedback

Seven Design Principles

4. Perceptible information

- redundancy of information: use different forms/modes
- emphasize essential information

5. Tolerance for error

- minimize impact caused by mistakes
- remove potentially dangerous situations
- hazards should be shielded by warnings

Seven Design Principles

6. Low physical effort

- comfort; minimize fatigue and effort
- repetitive or sustained actions should be avoided

7. Size and space for approach and use

- placement of system should be reachable by all users
- consider line of sight for standing and sitting user
- allow for variation in hand size
- provide room for assistive devices

Disabilities

- Federal law to ensure access to IT, including computers and web sites (1998 Amendment to Rehabilitation Act)
 - Vision (low vision, blind, color blind)
 - Hearing (deaf, limited hearing)
 - Mobility
 - Learning (dyslexia, attention deficit)


Disabilities

- Keyboard and mouse alternatives
- Color coding
- Font size
- Contrast
- Text descriptors for web images
- Magnification
- Text-to-speech; speech recognition
- Head-mounted optical mice
- Eye gaze control


Elderly

- Reduced
 - Motor skills
 - Perception
 - Vision, hearing, touch, mobility
 - Speed
 - Memory
- Other needs
 - Technology experience is varied
 - Uninformed on how technology could help them
 - Practice skills (hand-eye, problem solving, etc.)
- Touch screens, larger fonts, louder sounds, motions/gesture, speech, multiple modalities

System Structure



Context as **Implicit** Input



What is Context?



Examples of Context


- Identity (user, others, objects)
- Location
- Date/Time
- Environment
- Emotional state
- Focus of attention
- Orientation
- User preferences
- Calendar (events)
- Browsing history
- Behavioral patterns
- Relationships (phonebook, call history)
- ... the elements of the user's environment that the computer knows about...

Relevance of Context Information

- Trying to arrange lunch meeting
- Going to a job interview
- Going home after work and making evening plans
- Shopping
- Tourist
- ...

Definitions of Context

- “Context is **any information that can be used to characterize the situation of an entity**. An entity is a person, place, or object that is considered **relevant** to the interaction between a user and an application, including the user and applications themselves” [Dey et al. 2001]
- Auxiliary: not essential
- Relevant: can actually be used
 - Explicit input
 - Context input



Classification


- **External (physical)**

- Context that can be measured by hardware sensors
- Examples: location, light, sound, movement, touch, temperature, air pressure, etc.

- **Internal (logical)**

- Mostly specified by the user or captured monitoring the user's interaction
- Examples: the user's goal, tasks, work context, business processes, the user's emotional state, etc.

Context?



Context?




Simple Everyday Examples

- Smartphone adjusts the screen to the orientation of the device
- Apple Watch turns on display if arm lifted/rotated
- Orientation is determined by using both a gyroscope and an accelerometer



Simple Everyday Examples

- Phone display adjusts the brightness of the display based on the surrounding area
- Uses a light sensor



Simple Everyday Examples

- Device displays user's location, shows route to a desired destination, find nearby stores, geotag images on social media, etc.
- Uses location sensor




Simple Everyday Examples

- The time is displayed on the phone
 - Time zone change
 - Daylight savings time



Simple Everyday Examples

- Device disables touch screen when the user speaks on the phone
- Uses a proximity sensor (infrared signal travel time)



Challenges

- Lack of self-awareness
 - Knowing when to do or not to do something is hard
- Complexity
 - More rules do not necessarily yield more intelligence
 - But will become harder to maintain and understand
- Human-in-the-loop vs. automation
 - Loss of control vs. risk of human error
- Development
 - Sensing, aggregation, rules, etc., are complex issues
- Privacy
- User preferences
- Information overload